

APOLLO EDGE DRYSUIT MEASUREMENT CHART



APOLLO READY MADE DRYSUIT SIZE CHART

MICROCELL NEOPRENE

TECHNICAL FEATURES:-

BVS 360' MANUAL INFLATOR VALVE

BVS EXHAUST VALVE

AUTOMATIC FOOT VALVES

MODEL: EDGE DRYSUIT 4MM JERSEY / JERSEY

| | DESCRIPTION OF MEASUREMENTS | | UNISEX | | | | | | LADYS | | | LADY / SLIM | |
|----|-----------------------------|----|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------------|---------|
| | | | XS | S | M | ML | L | XL | XXL | S | M | ML | M |
| 1 | HEIGHT | cm | 160-165 | 166-170 | 171-175 | 176-180 | 181-185 | 186-196 | 191-195 | 160-165 | 166-170 | 171-175 | 166-170 |
| 2 | WEIGHT | kg | 55-65 | 60-75 | 70-80 | 75-85 | 80-95 | 85-105 | 95-110 | 60-65 | 66-70 | 71-75 | 59-68 |
| 4 | NECK MEASUREMENT | cm | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 34 | 36 | 38 | 34 |
| 5 | BACK HEIGHT(TO ANUS) | cm | 62 | 64 | 66 | 68 | 71 | 74 | 77 | 64 | 66 | 67 | 64 |
| 6 | TOP BUST/UPPER CHEST | cm | 87.5 | 90.5 | 93.5 | 96.5 | 100.5 | 103.5 | 108.5 | 88 | 93.5 | 95.5 | 90 |
| 8 | ABDOMINAL MEASUREMENT | cm | 77.5 | 80.5 | 83.5 | 86.5 | 89.5 | 92.5 | 95.5 | 80.5 | 86 | 88 | 74 |
| 10 | BUTTOCK CIRCUMFERENCE | cm | 92 | 94 | 96 | 98 | 100 | 104 | 108 | 94 | 98.5 | 100.5 | 94 |
| 11 | SHOULDER WIDTH | cm | 42 | 44 | 46 | 48 | 48 | 50 | 50 | 44 | 46 | 46 | 44 |
| 12 | SLEEVE LENGTH | cm | 72 | 74 | 76 | 78 | 80 | 82 | 84 | 74 | 76 | 76 | 75 |
| 13 | ARM LENGTH | cm | 51 | 52 | 53 | 54 | 56 | 57 | 59 | 52 | 53 | 53 | 52 |
| 14 | SHOULDER JOINT | cm | 41 | 42 | 43 | 45 | 46 | 48 | 50 | 42 | 43 | 44 | 41 |
| 18 | FOREARM | cm | 26 | 27 | 28 | 29 | 31 | 32 | 33 | 27 | 28 | 29 | 26 |
| 19 | WRIST | cm | 16 | 17 | 18 | 18 | 19 | 20 | 21 | 17 | 18 | 18 | 16 |
| 20 | UPPER CROTCH LENGTH | cm | 68 | 70 | 74 | 76 | 78 | 80 | 82 | 67.5 | 71.5 | 73 | 70 |
| 21 | THIGH,LARGEST CIRCUMFERENCE | cm | 54 | 56 | 58 | 60 | 62 | 64 | 66 | 56 | 58 | 60 | 55 |
| 24 | BELOW KNEE CIRCUMFERENCE | cm | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 35 | 36 | 37 | 35 |
| 25 | CALF CIRCUMFERENCE | cm | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 37 | 38 | 39 | 37 |
| 27 | LOWER LEG LENGTH | cm | 38 | 39 | 41 | 42 | 43 | 44 | 45 | 38 | 39 | 40 | 39 |
| 29 | FOOT LENGTH | cm | 25 | 26 | 27 | 28 | 29 | 30 | 30 | 25 | 26 | 27 | 26 |

Ph (02) 9620 9577

Fax(02) 9620 9744

Email: sales@scubaonline.com.au

Custom Drysuit Order Form BIO-PRO DRYSUITS



Apollo Code DS28056

MY COLOUR CHOICE

| | | |
|---|-------|--|
| A | BLACK | |
|---|-------|--|

UNDERGARMENTS

| | | |
|--------------------------|----------|---------|
| <input type="checkbox"/> | X- Small | DS28200 |
| <input type="checkbox"/> | Small | DS28201 |
| <input type="checkbox"/> | Medium | DS28202 |
| <input type="checkbox"/> | Large | DS28203 |
| <input type="checkbox"/> | X-Large | DS28204 |

COLOURS AVAILABLE

BLACK ONLY

Apollo Code DS28056

OPTIONAL HOOD (please indicate)

Yes No


MY COLOUR CHOICE

HOOD ZIP (please indicate)

Yes No

Apollo Code

DS28111 with Zip
DS28112 no Zip



OPTIONAL ACCESSORIES (Please Indicate)

Bio seal for wrist - DS28130

Yes No

Bio seal for neck

Yes No

Size of neck seal

Med Lge
DS28122 DS28120

Comfort tube - DS28165

Yes No

Wrist valve

Yes No

If Yes

Left Right

Foot Type

Boots Socks

WRIST VALVE
Optional SP92002



ANKLE VALVE
Standard SP92002



SHOULDER VALVE
Standard SP80002



INLET VALVE
Standard SP80001



FABRIC

Outer: Latex covered polyurethane
Lining: Titanium short pile plush

Custom Drysuit Order Form PRESTIGE DRYSUITS



Apollo Code DS28045

MY COLOUR CHOICE

A

B

C

UNDERGARMENTS

- X- Small DS28200
- Small DS28201
- Medium DS28202
- Large DS28203
- X-Large DS28204

COLOURS AVAILABLE

- | | | |
|----------------|-----|--|
| Light Pink | LPK | |
| Pink | PK | |
| Red | Rd | |
| Light Yellow | LYL | |
| Aqua Blue | BL | |
| Royal Blue | RL | |
| Light Violet | LVD | |
| Dark Purple | BB | |
| White | WT | |
| Silver | SV | |
| Gun Metal Grey | NGY | |
| Black | BK | |

OPTIONAL HOOD (please indicate)

Yes No


MY COLOUR CHOICE

HOOD ZIP (please indicate)

Yes No

Apollo Code

DS28111 with Zip
DS28112 no Zip



OPTIONAL ACCESSORIES (Please Indicate)

Bio seal for wrist - DS28130

Yes No

Bio seal for neck

Yes No

Size of neck seal

Med Lge
DS28122 DS28120

Comfort tube - DS28165

Yes No

Wrist valve

Yes No

If Yes

Left Right

Foot Type

Boots Socks

WRIST VALVE
Optional SP92002



ANKLE VALVE
Standard SP92002



SHOULDER VALVE
Standard SP80002



INLET VALVE
Standard SP80001



FABRIC

Outer: 3.5mm Operon coated
Microcell neoprene
Lining: Titanium Hotcell

Custom Drysuit Order Form PRO-TEQ DRYSUITS



MY COLOUR CHOICE

A **BLACK** XXXXXXXXXX


PRO-TEQ

Apollo Code DS28070

OPTIONAL HOOD (please indicate)

Yes No

Apollo Code
DS28111 with Zip
DS28112 no Zip



HOOD ZIP (please indicate)

Yes No

UNDERGARMENTS

X- Small DS28200
 Small DS28201
 Medium DS28202
 Large DS28203
 X-Large DS28204

ACCESSORIES SEALS - BOOTS - SOCKS

Bio seal for wrist - DS28130

Yes No

Comfort tube - DS28165

Yes No

Bio seal for neck

Yes No

Wrist valve

Yes No

If Yes

Left Right

Size of neck seal

Med Lge

DS28122 DS28120

Zipper Position

Diagonal Left to Right

Diagonal Right to Left

Waist zipper

Valves

Inlet - Chest Center

Inlet - Right Thigh

Inlet - Left Thigh

Dump - Left Shoulder

Cuff Dump - Right Wrist

Cuff Dump - Left Wrist

WRIST VALVE
Optional SP92002



ANKLE VALVE
Standard SP92002



SHOULDER VALVE
Standard SP80002



INLET VALVE
Standard SP80001



ACCESSORIES POCKETS-ZIPPERS

Cargo Pocket with internal D-Ring

Right Left

Code DS28100

Air Cylinder Pocket (Rebreathers)


Right Leg Left Leg

Code DS28101

Custom Pocket - Quote at time

Right Left

Code DS28102



FABRIC

Fully breathable fabric (8,000 g/m²/24hrs and more) improves comfort and minimises heat stress extra tough cordura nylon oxford 100% 300 denier

Custom Drysuit Order Form NEODIVER DRYSUITS



Apollo Code DS28040

MY COLOUR CHOICE

A

B

UNDERGARMENTS

- X- Small DS28200
- Small DS28201
- Medium DS28202
- Large DS28203
- X-Large DS28204

COLOURS AVAILABLE

- | | | |
|----------------|-----|--|
| Light Pink | LPK | |
| Pink | PK | |
| Red | Rd | |
| Light Yellow | LYL | |
| Aqua Blue | BL | |
| Royal Blue | RL | |
| Light Violet | LVD | |
| Dark Purple | BB | |
| White | WT | |
| Silver | SV | |
| Gun Metal Grey | NGY | |
| Black | BK | |

OPTIONAL HOOD (please indicate)

Yes No


MY COLOUR CHOICE

HOOD ZIP (please indicate)

Yes No

Apollo Code

DS28111 with Zip
DS28112 no Zip



OPTIONAL ACCESSORIES (Please Indicate)

Bio seal for wrist - DS28130

Yes No

Comfort tube - DS28165

Yes No

Bio seal for neck

Yes No

Wrist valve

Yes No

If Yes

Left Right

Size of neck seal

Med Lge
DS28122 DS28120

Foot Type

Boots Socks

WRIST VALVE
Optional SP92002



ANKLE VALVE
Standard SP92002



SHOULDER VALVE
Standard SP80002



INLET VALVE
Standard SP80001



FABRIC

Outer: 3.5mm Operon coated
Microcell neoprene
Lining: Standard Nylon

Custom Drysuit Order Form **EDGE DRYSUITS**



MY COLOUR CHOICE

| | | |
|---------------------------------------|---|--------------------------|
| <input checked="" type="checkbox"/> A | <input checked="" type="checkbox"/> BLACK | <input type="checkbox"/> |
|---------------------------------------|---|--------------------------|



UNDERGARMENTS

| | | |
|--------------------------|----------|---------|
| <input type="checkbox"/> | X- Small | DS28200 |
| <input type="checkbox"/> | Small | DS28201 |
| <input type="checkbox"/> | Medium | DS28202 |
| <input type="checkbox"/> | Large | DS28203 |
| <input type="checkbox"/> | X-Large | DS28204 |

COLOURS AVAILABLE

BLACK ONLY

Apollo Code DS28039

OPTIONAL HOOD (please indicate)

Yes No


MY COLOUR CHOICE

HOOD ZIP (please indicate)

Yes No

Apollo Code

DS28111 with Zip
DS28112 no Zip



OPTIONAL ACCESSORIES (Please Indicate)

Bio seal for wrist - DS28130

Yes No

Comfort tube - DS28165

Yes No

Bio seal for neck

Yes No

Wrist valve

Yes No

If Yes

Left Right

Size of neck seal

Med Lge
DS28122 DS28120

Foot Type

Boots Socks



WRIST VALVE
Optional SP92002



ANKLE VALVE
Standard SP92002



SHOULDER VALVE
Standard SP80002



INLET VALVE
Standard SP80001

Apollo Code DS28039

FABRIC

Outer: 4mm Microcell Neoprene
Nylon Jersey Outer and Inner Lining

CUSTOMER INFORMATION

APOLLO DRYSUITS



| | |
|---------------------------------------|---------------------------------------|
| Date: | Customer Name: |
| Shop name: | Customer Address: |
| Address: | |
| | State: Postcode: |
| State: Postcode: | Phone: |
| Phone: | Gender: Male |
| Name of person measuring: | Female |

Additional Information:



DRYSUIT MEASURING FORM




DIAGRAM NUMBERS REFER TO THE MEASUREMENT CHART ON THE FOLLOWING PAGE

| Refer to Order Form | | How to Take the Measurement | Result (cms) |
|---------------------|-------------------------|--|--------------|
| 1 | Height (in cm) | Standing without shoes against a wall | |
| 2 | Weight (in kg) | | |
| 3 | General Height | From point "A" to the centre of the inner ankle. Take msmt as a straight line, without going with the hollow of the back. | |
| 4 | Neck Measurement | Below the Adam's apple, at the slenderest point. | |
| 5 | Back Height | From point "A" to the anus | |
| 6 | Top Bust/Upper chest | With arms lowered in a natural way, chest/bust measurement taken through the armpit. | |
| 7 | Bust Measurement | With arms lowered in a natural way, bust measurement taken through nipples. | |
| 8 | Abdominal Measurement | A little above the navel, at the thinnest point. | |
| 9 | Lower Abdomen | The most prominent of the abdomen. | |
| 10 | Buttock Circumference | The most prominent part of the buttocks. | |
| 11 | Shoulder Width | From the extreme point of the shoulder, go through point "A": to the extreme of the shoulder, going with the roundness of the shoulders. | |
| 12 | Sleeve Length | With the arm raised in a 45-degree angle, take measurement from point "A": to the wrist, going through the extreme point of the shoulder | |
| 13 | Arm Length | With the arm raised in a 45-degree angle, take measurement from the extreme point of the shoulder to the wrist. | |
| 14 | Shoulder Joint | With the arm raised in a 45 degree, take measurement from the armpit, going round the shoulder. | |
| 15 | Upper Arm Circumference | With the arm raised in a 45 degree, go round the upper arm through the armpit. | |
| 16 | Bicep Circumference | With the arm raised in a 45 degree, take measurement at the largest point. | |
| 17 | Elbow Circumference | Take measurements at the slenderest point. | |
| 18 | Forearm | Immediately below the elbow at the largest point. | |
| 19 | Wrist | The slenderest part of the wrist. | |

| | | | |
|----|--------------------------------|---|--|
| 20 | Under the Crotch | From the crotch to the inner ankle. | |
| 21 | Thigh, Largest Circumference | The largest part of the thigh. | |
| 22 | Thigh, Immediate Circumference | Take measurement of the thigh circumference at halfway between the crotch and knee. | |
| 23 | Above Knee Circumference | Immediately above kneecap, where it becomes slender. | |
| 24 | Below Knee Circumference | Immediately below the kneecap, where it becomes slender. | |
| 25 | Calf Circumference | The largest part of the calf. | |
| 26 | Ankle | Immediately above the inner anklebone, at the slenderest point. | |
| 27 | Lower Leg Length | From the protruding bone of the inner side of the knee to the centre of the inner anklebone. | |
| 28 | Head Circumference | The largest part. | |
| 29 | Foot Length | From the heel to the tip of the toes while standing with weight on foot. Measure both feet and use largest. Round up to nearest whole centimetre. Add one centimetre extra if customer plans to wear thick socks. * For sock type suit, do not add 1 extra centimetre. | |

 Boot type
 ***Sock type**

Women

| | | | |
|----|-----------------|---|--|
| 30 | Under Bust | Bust measurement immediately below breast. | |
| 31 | Breast Drop | Take measurement from nipple, going vertically to the middle of the shoulder. | |
| 32 | Nipple Distance | Distance between right and left nipples. | |

Checksum - The following calculations MUST fall within the specified tolerances.

| | | | | |
|--------------------------------------|---|------------------------------|---|--|
| No. 11 (Shoulder Width) divided by 2 | + | No. 13 (Arm Length) | = | No. 12 (Sleeve Length) plus or minus 1.5cm |
| | + | | = | |
| No. 5 (Back Height) | + | No. 20 (Under Crotch Length) | = | No. 3 (General Height) plus or minus 2cm |
| | + | | = | |

DRYSUIT ACCESSORIES



Undergarment
(See Custom Drysuit Order
Forms for codes and sizes)



Hanger
Code: SP91290



Drysuit Hanger
Code: DS28115



Drysuit Bag
Code: BA12060



Neck Seals
Code: DS28122

Wrist Seals
Code: DS28130



Urine Dump Valve Assembly Complete
Code: DS27965

Apollo Australia Pty Ltd

Ph: +61 2 9620 9577

Fax: +61 2 9620 9744

E: sales@scubaonline.com.au

W: www.scubaonline.com.au



For your local Dive Shop

Go to:
www.scubaonline.com.au

Recreational Technical Military Scientific

